

## INTERACTIVE FLAT PANEL DISPLAYS

5 Series - 5651RK/ 5751RK/ 5861RK










## ENHANCE EVERY INTERACTIVE EXPERIENCE WITH AN OPTOMA MULTI-TOUCH DISPLAY



## Optoma interactive flat panel displays

Boasting 4K UHD resolution and up to 20-point multitouch capabilities, Optoma interactive flat panel displays (IFPDs) bring lessons and idea sharing to life in both education and business settings.

Available in 65", 75" and 86" sizes and featuring antiglare / scratch resistant glass, low blue light filter (TUV certified low blue light content) and a wide viewing angle, they reduce eye strain while providing crisp and vivid visuals to every seat in the room.




### Easier on your eyes

Optoma interactive displays feature a low blue light filter – certified by independent world leaders in product testing, TÜV Rheinland. This certifies that Optoma IFPDs produce no hazardous UV light and emit minimal blue light (which can cause eyestrain and tiredness).

## Easy file management

With powerful functions and intuitive interface, Optoma File Manager allows users to manage files and folders. Users can also access cloud drives, browse, create, rename, copy, move and delete files.



#### Intuitive whiteboard annotation

Creative sharing is easy with a ready-to-use whiteboard featuring built-in annotation tools that encourage collaboration.

### Stay connected

In addition to wireless sharing, numerous connectivity options are available including 3x HDMI, 1x VGA, and for additional flexibility an OPS slot. It also features an HDMI output which is useful for connecting an external display.

## EXPERIENCE ADDED FEATURES WITH THE 5 SERIES PREMIUM INTERACTIVE DISPLAY RANGE

## Optoma quick draw pen

Be ready to start the lesson in seconds with the Optoma Quick-Draw Pen. Just take the pen from the holder and the whiteboard application will automatically be activated, saving you time and delivering a familiar feel of using a marker.



## Realistic writing experience

The 5 Series comes with a double tipped pen to help you switch quickly from precise lines to broader sweeps. In addition, the 1mm air gap screen feature ensures this is one of the most realistic writing experiences yet.



## Slim bezel

The slim bezel design means that even when not in use, the 5 Series is an attractive centre piece. When in use, you have a stylish frame to share your chosen content, adding a touch of elegance to a highly functional device.



## Dual App mode

Dual App Mode allows you to view two apps, on your device, at the same time. If you're trying to copy and paste text from one app to another, or want to watch a video while you scan Office documents, you can do that easily without the need for an OPS.





## BUILT FOR THE BEST COLLABORATIVE EXPERIENCE

## Joan meeting widget

With the number of meetings increasing, office space has become the second-biggest expense for organisations. And when these are poorly planned or managed, the effects are reflected in poor office workforce satisfaction and lack of productivity.

Optoma has partnered with Joan, a leading meeting room software provider, to deliver a free of charge meeting room solution on Optoma IFPDs.

Quickly find and schedule meeting rooms, huddle spaces and workstations. Book meetings on the spot or through your existing desktop calendar and mobile phone.



### Connect a webcam

Optoma's range of Creative Touch interactive displays are perfectly suited to the ever changing educational and business needs.

You can connect practically any webcam giving you the ability to work together from remote locations. When combined with Optoma software, they provide the ultimate collaboration experience.





# SOCIAL DISTANCING MADE EASY - CONNECT ANYWHERE WITH TAPCAST

Wirelessly display and share content on a big screen without any additional hardware using the Optoma TapCast™ app. You can easily mirror your screen or wirelessly cast documents, images or videos stored on your PC, tablet and smart phone at the touch of a button. Bringing your own device has never been easier.



| Operating system | Available version     |  |
|------------------|-----------------------|--|
| Windows          | Windows 7/8/10        |  |
| Mac              | OSX 10.8 or later     |  |
| iPhone           | IOS 9.0 or later      |  |
| Android          | Android 5.0 or later  |  |
| Chrome book      | Chrome OS 65 or later |  |

## Multi to 1 feature

- Stream content from up to 4 devices without cables
- Only requires an App / Windows / Mac software

## Simple content sharing

- Only TapCast pro required
- Recent update main device can be a mirrored screen or extended



## **5 SERIES SPECIFICATION**

| DISPLAY           Size         65°         75°         86°           Aspect ratio         16:9                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | MODEL                  | 65" 4K                                        | 75" 4K                 | 86" 4K |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------------------------------|------------------------|--------|
| Size         65°         75°         86°           Aspect ratio         16:9         Resolution         3840 x 2160 (4k UHD)         Resolution         3840 x 2160 (4k UHD)         Resolution         3840 x 2160 (4k UHD)         Response time (typ.)         Response time (tip.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                        | 5651RK                                        | 5751RK                 | 5861RK |
| Aspect ratio         16:9           Resolution         3840 x 2160 (4k UHD)           Back light unit         Direct type LED           Response time (typ.)         8ms           Refreshing frequency         60Hz           bisplay colours         1.07 B (10bit)           Brightness         370 cd/m2 (typ.)           Dynamic contrast ratio         4000:1           View angle         178°           Life time         50,000 hr           Ambient light sensor         Yes           Pen holder         Yes           Pen holder         Yes           AUDIO         16W x2           CONNECTIVIY         10MI N x2.0           USA IN         1           PC-Audio IN         1           COXIDIO CUT         1           VSB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/10/10/100Mbps           TOUCH SYSTEM         2           Sensing type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | DISPLAY                |                                               |                        |        |
| Resolution         3840 x 2160 (4k UHD)           Back light unit         Direct type LED           Response time (typ.)         8ms           Refreshing frequency         60Hz           Display colours         1.07 B (10bit)           Brightness         370 cd/m2 (typ.)           Dynamic contrast ratio         4000:1           View angle         178°           Life time         50,000 hr           Ambient light sensor         Yes           Pen holder         Yes           Aubio         Speaker type           Output power         16W x2           CONNECTIVITY         HDMI IN 2.0         3           HDMI Output 2.0         1         VGA IN           PC- Audio IN         1         Coaxial Output (SPDIF)         1           AUDIO OUT         1         QUSB 2.0         3 (including 2 USB ports in front)           USB 2.0         3 (including 2 USB ports in front)         USB 3.0         3           USB 70uch output         2         RS232         1         LNR/J45)         1           Network         10/100/1000Mbps         TOUCH SYSTEM         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome         10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Size                   | 65"                                           | 75"                    | 86"    |
| Back light unit         Direct type LED           Response time (typ.)         8ms           Refreshing frequency         60Hz           Display colours         1.07 B (10bit)           Brightness         370 cd/m² (typ.)           Dynamic contrast ratio         4000:1           View angle         178°           Life time         50,000 hr           Ambient light sensor         Yes           Pen holder         Yes           Pen holder         Yes           AUDIO         Built-in speaker           Output power         16W x2           CONNECTIVITY         1           HDMI N 2.0         3           HDMI Output 2.0         1           VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM         Advanced Infrared           System         Windows                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Aspect ratio           |                                               | 16:9                   |        |
| Response time (typ.)         8ms           Refreshing frequency         60Hz           Display colours         1.07 B (10bit)           Brightness         370 cd/m² (typ.)           Dynamic contrast ratio         4000:1           View angle         178°           Life time         50,000 hr           Ambient light sensor         Yes           Pen holder         Yes           AUDIO         Built-in speaker           Output power         16W x2           CONNECTIVITY         HDMI IN 2.0           HDMI IN 2.0         3           HDMI Output 2.0         1           VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 3.0         3 (including 2 USB ports in front)           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/ Linux/Mac/Android/Chrome                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Resolution             | 3840 x 2160 (4k UHD)                          |                        |        |
| Refreshing frequency         60Hz           Display colours         1.07 B (10bit)           Brightness         370 cd/m² (typ.)           Dynamic contrast ratio         4000:1           View angle         178°           Life time         50,000 hr           Ambient light sensor         Yes           Pen holder         Yes           AUDIO         Yes           Speaker type         Built-in speaker           Output power         16W x2           CONNECTIVITY         HDMI N 2.0           HDMI Output 2.0         1           VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/ Linux/Mac/Android/Chrome           Touch point         20 points touch                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Back light unit        | Direct type LED                               |                        |        |
| Display colours   1.07 B (10bit)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Response time (typ.)   | 8ms                                           |                        |        |
| Brightness         370 cd/m2 (typ.)           Dynamic contrast ratio         4000:1           View angle         178°           Life time         50,000 hr           Ambient light sensor         Yes           Pen holder         Yes           AUDIO         Speaker type           Output power         16W x2           CONNECTIVITY         HDMI IN 2.0           HDMI Output 2.0         1           VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Refreshing frequency   | 60Hz                                          |                        |        |
| Dynamic contrast ratio         4000:1           View angle         178°           Life time         50,000 hr           Ambient light sensor         Yes           Pen holder         Yes           AUDIO         Yes           Speaker type         Built-in speaker           Output power         16W x2           CONNECTIVITY         Thus a speaker           HDMI IN 2.0         3           HDMI Output 2.0         1           VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB 70uch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Display colours        | 1.07 B (10bit)                                |                        |        |
| View angle         178°           Life time         50,000 hr           Ambient light sensor         Yes           Pen holder         Yes           AUDIO         Speaker type           Speaker type         Built-in speaker           Output power         16W x2           CONNECTIVITY           HDMI N 2.0         3           HDMI Output 2.0         1           VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB 70uch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing           Response time         ≤10ms         <1.5mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Brightness             |                                               | 370 cd/m2 (typ.)       |        |
| Life time         50,000 hr           Ambient light sensor         Yes           Pen holder         Yes           AUDIO           Speaker type         Built-in speaker           Output power         16W x2           CONNECTIVITY           HDMI IN 2.0         3           HDMI Output 2.0         1           VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch point         20 points touch           Touch point         10 points writing           Response time         ≤10ms         <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Dynamic contrast ratio | 4000:1                                        |                        |        |
| Ambient light sensor Yes  Pen holder Yes  AUDIO  Speaker type Built-in speaker Output power 16W x2  CONNECTIVITY  HDMI IN 2.0 3  HDMI Output 2.0 1  VGA IN 1  PC- Audio IN 1  Coaxial Output (SPDIF) 1  AUDIO OUT 1  USB 2.0 3 (including 2 USB ports in front)  USB 3.0 3  USB Touch output 2  RS232 1  LAN(RJ45) 1  Network 10/100/1000Mbps  TOUCH SYSTEM  Sensing type Advanced Infrared  System Windows 10/Windows 8/Windows 7/Windows XP/ Linux/Mac/Android/Chrome  Touch point 20 points touch  Touch tool Finger, Passive infrared pen  Writing point 10 points writing  Response time \$10ms <10ms  Accuracy <1.5mm \$1mm\$  Yes  Minimum object size 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | View angle             |                                               | 178°                   |        |
| AUDIO  Speaker type Speaker type Output power 16W x2  CONNECTIVITY HDMI IN 2.0 3 HDMI Output 2.0 1 VGA IN 1 PC- Audio IN 1 Coaxial Output (SPDIF) 1 AUDIO OUT 1 USB 2.0 3 (including 2 USB ports in front) USB 3.0 USB Touch output 2 RS232 1 LAN(RJ45) 1 Network 10/100/1000Mbps  TOUCH SYSTEM  Sensing type Advanced Infrared  System Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome  Touch point 20 points touch Touch tool Finger, Passive infrared pen Writing point Response time 410ms 4-ccuracy 41.5mm Writing double colors with double pens simultaneously Minimum object size  Bullt-in speaker Built-in speaker Built in sp | Life time              | 50,000 hr                                     |                        |        |
| AUDIO  Speaker type Output power Output power OUTPUTY  HDMI IN 2.0  HDMI Output 2.0  VGA IN  PC- Audio IN  Coaxial Output (SPDIF)  AUDIO OUT  USB 2.0  3 (including 2 USB ports in front)  USB 3.0  USB Touch output  2 RS232  1 LAN(RJ45)  1 Network 10/100/1000Mbps  TOUCH SYSTEM  Sensing type Advanced Infrared  System  Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome  Touch point  Touch point  Touch tool  Windows 10 points touch  Touch tool  Finger, Passive infrared pen  Writing point  Accuracy  Vinity double colors with double pens simultaneously  Minimum object size  B Built-in speaker  Built-in speaker  Built-in speaker  (How x2  Built-in speaker  (How x2  A How x2  A Ho | Ambient light sensor   |                                               | Yes                    |        |
| Speaker type Output power Output power OUTPUTY  HDMI IN 2.0 3 HDMI Output 2.0  VGA IN PC- Audio IN Coaxial Output (SPDIF) AUDIO OUT USB 2.0 3 (including 2 USB ports in front) USB 3.0 3 USB Touch output 2 RS232 1 LAN(RJ45) 1 Network 10/100/1000Mbps  TOUCH SYSTEM Sensing type Advanced Infrared System Vindows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome Touch point 10 points touch Touch tool Finger, Passive infrared pen Writing point Accuracy Vinity Mac Android Vinity Mac  | Pen holder             |                                               | Yes                    |        |
| CONNECTIVITY           HDMI IN 2.0         3           HDMI Output 2.0         1           VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/<br>Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing           Response time         ≤10ms         <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | AUDIO                  |                                               |                        |        |
| CONNECTIVITY           HDMI IN 2.0         3           HDMI Output 2.0         1           VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/<br>Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing           Response time         ≤10ms         <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Speaker type           | Built-in speaker                              |                        |        |
| HDMI IN 2.0  HDMI Output 2.0  VGA IN  PC- Audio IN  Coaxial Output (SPDIF)  AUDIO OUT  USB 2.0  3 (including 2 USB ports in front)  USB 3.0  3  USB Touch output  2  RS232  1  LAN(RJ45)  1  Network  10/100/1000Mbps  TOUCH SYSTEM  Sensing type  Advanced Infrared  System  Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome  Touch point  20 points touch  Touch tool  Finger, Passive infrared pen  Writing point  10 points writing  Response time  \$10ms  Accuracy  <1.5mm  Writing double colors with double pens simultaneously  Minimum object size  3  1  1  1  1  1  1  1  1  1  1  1  1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Output power           |                                               | 16W x2                 |        |
| HDMI Output 2.0  VGA IN  PC- Audio IN  1  Coaxial Output (SPDIF)  AUDIO OUT  USB 2.0  3 (including 2 USB ports in front)  USB 3.0  USB Touch output  2  RS232  1  LAN(RJ45)  1  Network  10/100/1000Mbps  TOUCH SYSTEM  Sensing type  Advanced Infrared  System  Windows 10/Windows 8/Windows 7/Windows XP/ Linux/Mac/Android/Chrome  Touch point  20 points touch  Touch tool  Finger, Passive infrared pen  Writing point  Response time  ≤10ms  Accuracy  <1.5mm  Writing double colors with double pens simultaneously  Minimum object size  1  1  1  1  1  1  1  1  1  1  1  1  1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | CONNECTIVITY           |                                               |                        |        |
| VGA IN         1           PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing           Response time         ≤10ms         <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | HDMI IN 2.0            | 3                                             |                        |        |
| PC- Audio IN         1           Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/<br>Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing           Response time         ≤10ms         <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | HDMI Output 2.0        |                                               | 1                      |        |
| Coaxial Output (SPDIF)         1           AUDIO OUT         1           USB 2.0         3 (including 2 USB ports in front)           USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing           Response time         ≤10ms         <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | VGA IN                 |                                               | 1                      |        |
| AUDIO OUT  USB 2.0 3 (including 2 USB ports in front)  USB 3.0 3  USB Touch output 2  RS232 1  LAN(RU45) 1  Network 10/100/1000Mbps  TOUCH SYSTEM  Sensing type Advanced Infrared  System Windows 10/Windows 8/Windows 7/Windows XP/ Linux/Mac/Android/Chrome  Touch point 20 points touch  Touch tool Finger, Passive infrared pen  Writing point 10 points writing  Response time ≤10ms <10ms  Accuracy <1.5mm ±1.5mm  Writing double colors with double pens simultaneously  Minimum object size 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | PC- Audio IN           |                                               | 1                      |        |
| USB 2.0 3 (including 2 USB ports in front)  USB 3.0 3  USB Touch output 2  RS232 1  LAN(RJ45) 1  Network 10/100/1000Mbps  TOUCH SYSTEM  Sensing type Advanced Infrared  System Windows 10/Windows 8/Windows 7/Windows XP/ Linux/Mac/Android/Chrome  Touch point 20 points touch  Touch tool Finger, Passive infrared pen  Writing point 10 points writing  Response time ≤10ms <10ms  Accuracy <1.5mm ±1.5mm  Writing double colors with double pens simultaneously  Minimum object size 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Coaxial Output (SPDIF) |                                               | 1                      |        |
| USB 3.0         3           USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type           Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing           Response time         ≤10ms         <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | AUDIO OUT              |                                               | 1                      |        |
| USB Touch output         2           RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/<br>Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing           Response time         ≤10ms         <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | USB 2.0                | 3 (inclu                                      | ding 2 USB ports in    | front) |
| RS232         1           LAN(RJ45)         1           Network         10/100/1000Mbps           TOUCH SYSTEM           Sensing type         Advanced Infrared           System         Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome           Touch point         20 points touch           Touch tool         Finger, Passive infrared pen           Writing point         10 points writing           Response time         ≤10ms         <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | USB 3.0                | 3                                             |                        |        |
| LAN(RJ45)     1       Network     10/100/1000Mbps       TOUCH SYSTEM       Sensing type     Advanced Infrared       System     Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome       Touch point     20 points touch       Touch tool     Finger, Passive infrared pen       Writing point     10 points writing       Response time     ≤10ms     <10ms       Accuracy     <1.5mm     ±1.5mm       Writing height     <3mm       Writing double colors with double pens simultaneously     Yes       Minimum object size     3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | USB Touch output       | 2                                             |                        |        |
| Network     10/100/1000Mbps       TOUCH SYSTEM       Sensing type     Advanced Infrared       System     Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome       Touch point     20 points touch       Touch tool     Finger, Passive infrared pen       Writing point     10 points writing       Response time     ≤10ms     <10ms       Accuracy     <1.5mm     ±1.5mm       Writing height     <3mm       Writing double colors with double pens simultaneously     Yes       Minimum object size     3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | RS232                  | 1                                             |                        |        |
| TOUCH SYSTEM  Sensing type Advanced Infrared  System Windows 10/Windows 8/Windows 7/Windows XP/ Linux/Mac/Android/Chrome  Touch point 20 points touch  Touch tool Finger, Passive infrared pen Writing point 10 points writing  Response time ≤10ms <10ms  Accuracy <1.5mm ±1.5mm  Writing height <3mm  Writing double colors with double pens simultaneously Minimum object size 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | LAN(RJ45)              | 1                                             |                        |        |
| Sensing type     Advanced Infrared       System     Windows 10/Windows 8/Windows 7/Windows XP/Linux/Mac/Android/Chrome       Touch point     20 points touch       Touch tool     Finger, Passive infrared pen       Writing point     10 points writing       Response time     ≤10ms     <10ms                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Network                | 10/100/1000Mbps                               |                        |        |
| System  Windows 10/Windows 8/Windows 7/Windows XP/ Linux/Mac/Android/Chrome  Touch point  20 points touch  Touch tool  Finger, Passive infrared pen  Writing point  10 points writing  Response time  ≤10ms  <10ms  Accuracy  <1.5mm  ±1.5mm  Writing height  √3mm  Writing double colors with double pens simultaneously  Minimum object size  Windows 8/Windows 7/Windows XP/  Linux/Mac/Android/Chrome  10 points writing  ≤10ms  <10ms  ←3mm  Yes  3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | TOUCH SYSTEM           |                                               |                        |        |
| Touch point 20 points touch  Touch tool Finger, Passive infrared pen  Writing point 10 points writing  Response time ≤10ms <10ms  Accuracy <1.5mm ±1.5mm  Writing height <3mm  Writing double colors with double pens simultaneously  Minimum object size 15mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Sensing type           |                                               | Advanced Infrared      |        |
| Touch tool Finger, Passive infrared pen Writing point 10 points writing Response time ≤10ms <10ms Accuracy <1.5mm ±1.5mm Writing height <3mm Writing double colors with double pens simultaneously Minimum object size 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | System                 |                                               |                        |        |
| Writing point 10 points writing Response time ≤10ms <10ms Accuracy <1.5mm ±1.5mm Writing height <3mm Writing double colors with double pens simultaneously Minimum object size 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Touch point            | 20 points touch                               |                        |        |
| Response time \$10ms <10ms Accuracy <1.5mm ±1.5mm Writing height <3mm Writing double colors with double pens simultaneously Minimum object size 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Touch tool             | Finge                                         | er, Passive infrared p | oen    |
| Accuracy <1.5mm ±1.5mm  Writing height <3mm  Writing double colors with double pens simultaneously  Minimum object size 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Writing point          |                                               | 10 points writing      |        |
| Writing height <3mm Writing double colors with double pens simultaneously Minimum object size 3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Response time          | ≤10ms                                         | <10                    | ms     |
| Writing double colors with double pens simultaneously  Minimum object size  Yes  3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Accuracy               | <1.5mm                                        | ±1.5r                  | mm     |
| double pens simultaneously  Minimum object size  3mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Writing height         |                                               | <3mm                   |        |
| ·                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                        | Yes                                           |                        |        |
| Surface hardness Toughened glass with level 7 of Mohs standard                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Minimum object size    | 3mm                                           |                        |        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Surface hardness       | Toughened glass with level 7 of Mohs standard |                        |        |

| MODEL                                      | 65" 4K               | 75" 4K                   | 86" 4K               |  |
|--------------------------------------------|----------------------|--------------------------|----------------------|--|
|                                            | 5651RK               | 5751RK                   | 5861RK               |  |
| Glass                                      | Ant                  | ti glare + Anti finger p | orint                |  |
| Air gap                                    |                      | 1mm                      |                      |  |
| ANDROID SYSTEM                             |                      |                          |                      |  |
| System Version                             |                      | Android 8.0              |                      |  |
| CPU                                        | QUAD Core H81        | 1 (ARM Dual core A7      | 3+Dual core A53)     |  |
| GPU                                        |                      | QUAD Core Mali G5        | 1                    |  |
| RAM                                        |                      | 4G                       |                      |  |
| ROM                                        |                      | 32G                      |                      |  |
| Wifi dongle                                | IFPD Wi-Fi do        | ngle SI01 optional (2    | .4G/5G, BT4.0)       |  |
| Android OSD                                |                      | 4K                       |                      |  |
| POWER                                      |                      |                          |                      |  |
| Power Requirements                         | 10                   | 0-240V~ 50/60Hz 3        | .5A                  |  |
| Standby Power                              |                      | ≤0.5W                    |                      |  |
| Overall power (nominal power)              | 350W                 | 350W                     | 550W                 |  |
| PHYSICAL SPECIFICATIONS                    |                      |                          |                      |  |
| Dimension L x H x D (mm)                   | 1489 × 897 × 86      | 1710 x 1020 x 86         | 1957.2 x 1160 x 86   |  |
| Dimension (package)<br>L x H x D (mm)      | 1656 x 1050<br>× 204 | 1860 × 1170<br>× 280     | 2211 × 1370<br>× 280 |  |
| Net weight (kg)                            | 40.2                 | 51.75                    | 64.65                |  |
| Gross weight (kg)                          | 51.3                 | 70.35                    | 95.55                |  |
| VESA mount (mm)                            | 600 x 400            | 800 x 400                | 800 x 600            |  |
| Bezel size (top/left/right)                |                      | 18mm                     |                      |  |
| ACCESSORIES                                |                      |                          |                      |  |
| Wall mount                                 |                      | OWMFP01 Optional         | I                    |  |
| mini PC bracket                            | Optional (in         | cluded in wall mount     |                      |  |
| Stand                                      | ST01 O               | ptional (Requires OV     | VMFP01)              |  |
| ENVIRONMENTAL COND                         | ITIONS               |                          |                      |  |
| Operating temperature                      |                      | 0°C - 40°C               |                      |  |
| Operation humidity                         |                      | 10% - 90% RH             |                      |  |
| Storage temperature                        | -20°C - 60°C         |                          |                      |  |
| Storage humidity                           | 10% - 90% RH         |                          |                      |  |
| APPS AND SOFTWARE                          |                      |                          |                      |  |
| Optoma Whiteboard (team share)             | ✓                    | ✓                        | ✓                    |  |
| Auto pen detection then trigger whiteboard | ✓                    | ✓                        | ✓                    |  |
| Optoma file manager<br>(w/ cloud storage)  | ✓                    | ✓                        | ✓                    |  |
| TapCast Pro                                | ✓                    | ✓                        | ✓                    |  |
| OfficeViewer                               | ✓                    | ✓                        | ✓                    |  |
| Low blue light                             | ✓                    | ✓                        | ✓                    |  |
| Flicker free                               | ✓                    | ✓                        | ✓                    |  |
| Dual app mode                              | ✓                    | ✓                        | ✓                    |  |

#### OPTIONAL OPS SLOT-IN PC MODULE

| OF HONAL OF 3 SLOT-IN FC MODULE |                                              |                      |  |  |
|---------------------------------|----------------------------------------------|----------------------|--|--|
| Model                           | OPS2-i5                                      | OPS2-i7              |  |  |
| CPU                             | Intel® Core i5 8250U                         | Intel® Core i7 8550U |  |  |
| RAM                             | 8GB DDR4                                     |                      |  |  |
| Storage                         | 128GB SSD                                    | 256GB SSD            |  |  |
| Graphics                        | Intel® UHD Graphics 620                      |                      |  |  |
| Audio                           | Integrated High-Definition Audio             |                      |  |  |
| Networking                      | 10/100/1000Mbps                              |                      |  |  |
| WIFI                            | 802.11 a/b/g/n/ac 2.4 / 5 GHz                |                      |  |  |
| Bluetooth                       | Bluetooth 4.2                                |                      |  |  |
| OS compatibility                | Windows 10 (OS must be purchased seperately) |                      |  |  |
| USB 2.0                         | 2                                            |                      |  |  |
| USB 3.0                         | 2                                            |                      |  |  |
| USB Type-C                      | 1                                            |                      |  |  |
| Audio out                       | 1 (3.5mm)                                    |                      |  |  |
| Microphone in                   | 1 (3.5mm)                                    |                      |  |  |
| HDMI out                        | 1 (4K UHD, 30 Hz) (front)                    |                      |  |  |

## EXTERIOR APPEARANCE













Bluetooth module

PC Module OPS2-i5/OPS2-i7

